

A universal light

Product:

w203 Illumina

Shining in the dark like an illuminated manuscript, w203 Illumina is our update of the classic library lamp – drawing on innovative lighting technology while personifying our love of materials.

Design:

Ilse Crawford



The human approach. Ilse Crawford is a designer, academic and creative director with a simple mission to put human needs and desires at the centre of all that she does. As founder of Studioilse, together with her multi-disciplinary, London-based team, she brings her philosophy to life. This means creating environments where humans feel comfortable; public spaces that make people feel at home and homes that are habitable and make sense for the people who live in them. It means designing furniture and products that support and enhance human behaviour and actions in everyday life. It means restoring the human balance in brands and businesses that have lost their way. As former Head and founder of the department of Man and Wellbeing at the Design Academy Eindhoven, Crawford's mission extends to nurturing a new generation of students to always question why and how their work improves the reality of life.

Ages with grace

With time, the polished copper surface of w203 Illumina will acquire a beautiful patina. It is also available in sober brushed aluminium, as well as soft eggshell white.



Sliding potentiometer

w203 Illumina's smoothly sliding potentiometer makes dimming a tactile, enjoyable experience.

Gentle light

Whether used in the home or the office, w203 Illumina offers a warm, familiar ambience and directed light with clear yet gentle definition. With no visible light source to distract the eye, it allows its owner to fully enjoy the benefits of light.



Additional features

- Energy efficient
- Long lasting light source
- High colour rendering index
- Flicker-free light
- Flat-pack


Technical information

Luminous intensity distribution (polar)

w203 Illumina white

Luminaire luminous flux: 267 lm

Luminaire luminous efficacy: 34 lm / W



● C0/C180

cd

● C90/C270

Physical	Material	Shade & base: aluminium/copper Diffuser: polycarbonate Reflectors, dimmer knob, internal structure: ABS		
	Cord length	180 cm		
	Colour	Article-specific information		
	Net weight	Article-specific information		
	Operation	Integrated sliding dimmer potentiometer		
LED	Light source	COB LED (included)		
	Life time expectancy	50,000 h		
	Luminous flux (light source)	776 lm		
	Luminous efficacy (light source)	132 lm / W		
	Colour temperature (CCT)	2700 K		
	Colour Rendering Index (CRI)	≥ 90		
Optics	Double reflectors			
Electronic	Watt	6 W	Modulation	1.5%
	Voltage	100–240 V	Flicker index	0.0034
	Light control	Dimmable	SVM	0.003 (flicker-free)
	Packaging	Dimensions	W450 × L450 × H165 cm (0.03 m ³)	
	Gross weight	Article-specific information		




w203 Illumina white

w203 Illumina aluminium

w203 Illumina copper



403



Article-specific information

Version	White (RAL 9003)	Aluminium	Copper
Gross weight	3.0 kg	3.0 kg	5.0 kg
Net weight	1.6 kg	1.6 kg	3.6 kg
Art. No. / EAN code	203T100 / 7330492008721	203T200 / 7330492008738	203T300 / 7330492008745