

FLOS

F3173044 24K Gold

IC F1 10 Anniversary

Designed by Michael Anastassiades, 2014

Halogen - 60W



Floor lamp providing diffused light. Gold plate 24 carat frame. Blown glass opal diffuser. Dimmer on the power chord.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607067000
Mounting	Floor
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E14
Icos	HSGS
Number of lamps	1
Power (W)	60

Physical

Colour	24K Gold
Length (mm)	275
Cord colour	Black
Net weight (kg)	5.1
Package volume (m3)	0.1
IP internal	20



Download

Mounting instructions [Download PDF](#)

Photometric Files

LDT / IES [Download LDT](#)


Technical Drawings

2D [Download ZIP](#)

3D [Download ZIP](#)



Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Roto symmetric
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No

Bulbs



NOT INCLUDED

RF32290

LED Lamp E14 8W 2700K T28

NOT INCLUDED

RF32291

LED Lamp E14 8W 3000K T28

NOT INCLUDED

RF32767

LED Lamp 9W E14 220-240V
2700K T28

NOT INCLUDED

RF32768

LED Lamp 9W E14 220-240V
3000K T28

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Glass diffuser 1 assembly for gold version | F3136044 |
| 02. | Led rondo' dimmer 220/240v 40-250w 4-100w | RF28045 |
| 03. | Screw kit with allen key for base assembly | RF3130100 |



F3136044

Glass diffuser 1 assembly for
gold version



RF28045

Led rondo' dimmer 220/240v 40-
250w 4-100w



RF3130100

Screw kit with allen key for base
assembly