



PRODUCT SHEET

TR Collection

by Tim Rundle

TR Bulb Pendant

BY TIM RUNDLE

Black powder coated steel or brushed brass pendant with textile cord.



TR Bulb Pendant, Brushed Brass / Shiny Opal Bulb, by Tim Rundle

TR Bulb Pendant

BY TIM RUNDLE

TECHNICAL SPECIFICATIONS

PRODUCT TYPE

Pendant

COLLI

ENVIRONMENT

DIMENSIONS

H: 30 cm / 11,8" Ø: 20 cm / 7,9"

COLOURS

Black (RAL 9005) Brushed brass

PRODUCTION PROCESS

The globe shade is made from mouth-blown opal glass and the core is designed with aluminium to draw heat away from the LED light source, allowing the bulb to run at the optimum temperature. Accessory fittings are made of brushed brass or painted steel.

MATERIALS

Powder coated steel or brushed brass with lacquer, opal glass (matte or shiny), LED COB.

WEIGHT

1,1 kg / 2,4 lb

VOLTAGE CE: 220-230 V

LIGHT SOURCE &
ENERGY EFFICIENCY CLASS

CE: Standard: E27, 6,5 Watt, A+ US: Standard: E26, 6 Watt, A+ Bulbs are dimmable (trailing edge)

LIGHT SPECIFICATION

TR Bulb (CE)

Standard Watt: 6,5 W Lumen output: 70 lm / W Colour temperature: 2700 K CRI: > 80

TR Bulb (US)

Standard Watt: 6 W Lumen output: 70 lm / W Colour temperature: 2700 K CRI: > 80 DIMMER

No. The lamp can be connected to a dimmer system.

CANOPY

Yes, ABS, black Ø: 11,5 cm / 4,5" H: 3,8 cm / 1,5"

CORD MATERIAL AND COLOUR

Textile, black.

CORD LENGTH

300 cm / 118,1"

CLASSIFICATION

IP20

CERTIFICATIONS

CE and ETL certified, tests can be obtained upon request.

PACKAGING TYPE


Gift box

PACKAGING MEASUREMENTS (H x W x D) 26 cm x 36 cm x 25,5 cm / 10,2" x 14,2" x 10"

26 cm x 56 cm x 25,5 cm / 10,2" x 14,2" x 10"

MATERIALS & MAINTENANCE

Please visit menuspace.com for materials and care and maintenance instructions.




Ø: 20 cm / 7,9"

MENU — PRODUCT SHEET 2 MENU — PRODUCT SHEET

TR Bulb Suspension Frame

BY TIM RUNDLE

Suspension lamp in black powder coated steel or brushed brass. Opal glass bulb with a shiny or matte finish.



TR Bulb Suspension Frame

BY TIM RUNDLE

TECHNICAL SPECIFICATIONS

PRODUCT TYPE

Suspension frame

COLLI

ENVIRONMENT

DIMENSIONS

H: 45 cm / 17,7" Æ: 20 cm / 7,9" W: 125 cm / 49,2"

COLOURS

Black (RAL 9005) Brushed brass

PRODUCTION PROCESS

The globe shade is made from mouth-blown opal glass and the core is designed with aluminium to draw heat away from the LED light source, allowing the bulb to run at the optimum temperature. Accessory fittings are made of brushed brass or painted steel.

MATERIALS

Powder coated steel or brushed brass with lacquer, opal glass (matte or shiny), LED COB.

WEIGHT

4,4 kg / 9,7 lb

VOLTAGE

CE: 220-230 V US: 110-130 V

LIGHT SOURCE &
ENERGY EFFICIENCY CLASS

CE: Standard: E27, 6,5 Watt, A+ US: Standard: E26, 6 Watt, A+ Bulbs are dimmable (trailing edge)

LIGHT SPECIFICATION

TR Bulb (CE)

Standard Watt: 6,5 W Lumen output: 70 lm / W Colour temperature: 2700 K CRI: > 80

TR Bulb (US)

Standard Watt: 6 W Lumen output: 70 lm / W Colour temperature: 2700 K CRI: > 80 DIMMER

No. The lamp can be connected to a dimmer system.

CANOPY

Yes, ABS, black Ø: 11,5 cm / 4,5" H: 3,8 cm / 1,5"

CORD MATERIAL AND COLOUR

Textile, black

CORD LENGTH

300 cm / 118,1"

CLASSIFICATION

CERTIFICATIONSCE and ETL certified, tests can be obtained upon

PACKAGING TYPE

Gift box

PACKAGING MEASUREMENTS (H x W x D) 26,5 cm x 136,5 cm x 43,8 cm / 10,4" x 53,7" x 17,2"

MATERIALS & MAINTENANCE

Please visit menuspace.com for materials and care and maintenance instructions.

H: 45 cm / 17.7"

W: 125 cm / 49,2"



MENU — PRODUCT SHEET

4 MENU — PRODUCT SHEET

TR Bulb Table Lamp

BY TIM RUNDLE

Black powder coated steel lamp with circular Ocean Grey Marble base or brushed brass. Opal glass bulb with a shiny or matte finish. Textile cord with dimmer switch.





TR Bulb Table Lamp, Brushed Brass / Shiny Opal Bulb, by Tim Rundle

TR Bulb Table Lamp

BY TIM RUNDLE

TECHNICAL SPECIFICATIONS

PRODUCT TYPE
Table lamp

COLLI

ENVIRONMENT

DIMENSIONS

H: 41 cm / 16,1"

O: 18 or 20 cm / 7,1" or 7,9"

COLOURS

Ocean Grey Marble Brushed brass

PRODUCTION PROCESS

The globe shade is made from mouth-blown opal glass and the core is designed with aluminium to draw heat away from the LED light source, allowing the bulb to run at the optimum temperature. Accessory fittings are made from cut and polished marble, brushed brass or painted steel.

MATERIALS

Powder coated steel or brushed brass with lacquer, opal glass (matte or shiny), LED COB.

WEIGHT 1,7 kg / 3,7 lb

VOLTAGE CE: 220-230 V

US: 110-130 V

LIGHT SOURCE &
ENERGY EFFICIENCY CLASS

CE: Standard: E27, 6,5 Watt, A+ US: Standard: E26, 6 Watt, A+ Bulbs are dimmable (trailing edge)

LIGHT SPECIFICATION

TR Bulb (CE) Standard

Watt: 6,5 W
Lumen output: 70 lm / W
Colour temperature: 2700 K
CRI: > 80

TR Bulb (US) Standard Watt: 6 W

Lumen output: 70 lm / W
Colour temperature: 2700 K
CRI: > 80

DIMMER

Yes, on cord

CANOPY

CORD MATERIAL AND COLOUR

Black textile and black plug.

CORD LENGTH

200 cm / 78,7"

CLASSIFICATION

CERTIFICATIONS

CE and ETL certified, tests can be obtained upon


PACKAGING TYPE

Gift box

PACKAGING MEASUREMENTS (H x W x D) 26,5 cm x 36 cm x 32,5 cm / 10,4" x 14,2" x 12,8"

MATERIALS & MAINTENANCE

Please visit menuspace.com for materials and care and maintenance instructions.



0: 20 cm / 7,9"



TR Bulb Table/Wall Lamp

BY TIM RUNDLE

Black powder coated steel lamp with circular Ocean Grey Marble base or brushed brass. Opal glass bulb with a shiny or matte finish. Textile cord with dimmer switch.

















TR Bulb Table / Wall Lamp, Brushed Brass / Matte Opal Bulb, by Tim Rundle Plinth Low, Calacatta Viola Marble, by Norm Architects

TR Bulb Table/Wall Lamp

BY TIM RUNDLE

TECHNICAL SPECIFICATIONS

PRODUCT TYPE

Table / Wall lamp

COLLI

ENVIRONMENT

Indoor

DIMENSIONS

H: 22 cm / 8,7" Ø: 16 or 20 cm / 6,2" or 7,9"

COLOURS

Ocean Grey Marble Brushed brass

PRODUCTION PROCESS

The globe shade is made from mouth-blown opal glass and the core is designed with aluminium to draw heat away from the LED light source, allowing the bulb to run at the optimum temperature. Accessory fittings are made from cut and polished marble, brushed brass or painted steel.

MATERIALS

Powder coated steel or brushed brass with lacquer, opal glass (matte or shiny), LED COB.

WEIGHT 1,6 kg / 3,5 lb

VOLTAGE

CE: 220-230 V US: 110-130 V

LIGHT SOURCE &
ENERGY EFFICIENCY CLASS

CE: Standard: E27, 6,5 Watt, A+ US: Standard: E26, 6 Watt, A+ Bulbs are dimmable (trailing edge)

LIGHT SPECIFICATION

TR Bulb (CE)

Standard Watt: 6,5 W Lumen output: 70 lm / W Colour temperature: 2700 K CRI: > 80

TR Bulb (US)

Standard Watt: 6 W Lumen output: 70 lm / W Colour temperature: 2700 K CRI: > 80 DIMMER

Yes, on cord

CANOPY

CORD MATERIAL AND COLOUR

CORD LENGTH 200 cm / 78,7"

200 (1117 70,7

CLASSIFICATION

CERTIFICATIONS

CE and ETL certified, tests can be obtained upon

PACKAGING TYPE


Gift box

PACKAGING MEASUREMENTS (H x W x D)


 $26 \text{ cm} \times 50 \text{ cm} \times 25,6 \text{ cm} / 10" \times 19,7" \times 10"$


MATERIALS & MAINTENANCE

Please visit menuspace.com for materials and care and maintenance instructions.



Ø: 20 cm / 7,9"





0:16/6,3

MENU — PRODUCT SHEET 8 MENU — PRODUCT SHEET

TR Bulb Ceiling/Wall Lamp

BY TIM RUNDLE

Black powder coated steel or brushed brass ceiling / wall lamp with PVC cord. Opal glass bulb with a shiny or matte finish.





BY TIM RUNDLE

TECHNICAL SPECIFICATIONS

PRODUCT TYPE

Ceiling / Wall lamp

COLLI

ENVIRONMENT

DIMENSIONS H: 22 cm / 8,7" Ø: 16 or 20 cm / 6,2" or 7,9"

COLOURS

Black (RAL 9005) Brushed brass

PRODUCTION PROCESS

The globe shade is made from mouth-blown opal glass and the core is designed with aluminium to draw heat away from the LED light source, allowing the bulb to run at the optimum temperature. Accessory fittings are made of brushed brass or painted steel.

MATERIALS

Powder coated steel or brushed brass with lacquer, opal glass (matte or shiny), LED COB.

WEIGHT

1,6 kg / 3,5 lb

VOLTAGE CE: 220-230 V

LIGHT SOURCE &
ENERGY EFFICIENCY CLASS

CE: Standard: E27, 6,5 Watt, A+ US: Standard: E26, 6 Watt, A+ Bulbs are dimmable (trailing edge)

LIGHT SPECIFICATION

TR Bulb (CE)

Standard Watt: 6,5 W Lumen output: 70 lm / W Colour temperature: 2700 K CRI: > 80

TR Bulb (US)

Standard Watt: 6 W Lumen output: 70 lm / W Colour temperature: 2700 K CRI: > 80 DIMMER

No. The lamp can be connected to a dimmer system.

CANOPY

CORD MATERIAL AND COLOUR

PVC, black

CORD LENGTH

10 cm / 3,9"

CLASSIFICATION

CERTIFICATIONS

CE and ETL certified, tests can be obtained upon

PACKAGING TYPE


Gift box


PACKAGING MEASUREMENTS (H x W x D)

43 cm x 48,5 cm x 48,5 cm / 17" x 19" x 19"

MATERIALS & MAINTENANCE

Please visit menuspace.com for materials and care and maintenance instructions.





MENU - PRODUCT SHEET 10 MENU - PRODUCT SHEET